

MYCOTAXON

AN INTERNATIONAL JOURNAL FOR RESEARCH ON
TAXONOMY & NOMENCLATURE OF FUNGI, INCLUDING LICHENS

Volume LXX

January-March 1999

CONTENTS

<i>Hohenbuehelia ilerdensis</i> , a new graminicolous species from semisteppe areas of Lleida (western Catalonia, Spain)	R. Courtecuisse, J. Villa, and X. Llimona	1
Three species of <i>Microthyrium</i> from Nolina	Annette W. Ramaley	7
New smut fungi from South Africa	Kálmán Vánky	17
The new classificatory system for smut fungi, and two new genera	Kálmán Vánky	35
<i>Septoria birgitae</i> Bedlan sp. n., a new pathogen causing leaf spots on <i>Lactuca sativa</i>	G. Bedlan	51
<i>Titaea formosa</i> anam. sp. nov., a new fungicolous hyphomycete from Spain	Fernando Pelaez, Rafael F. Castañeda Ruíz, and Francisco Arenal	55
A new species of <i>Pleurotheciopsis</i> from a rainforest in Venezuela	Rafael Castañeda Ruíz and Teresa Iturriaga	63
<i>Fomitopsis cajanderi</i> in Europe - evidence from mating experiments	Nils Högborg and Jan-Olof Hermansson	69
<i>Penicillium donkii</i> in Arctic pond	Aurora Montemartini Corte and Massimo Liotta	73
Additions to the known Xylariaceae (Hymenocomycetes, Xylariales) of Sonora, Mexico	Felipe San Martín, Pablo Lavín, Martín Esqueda-Valle, and Evangelina Pérez-Silva	77
<i>Xylaria perezsilvae</i> sp. nov. from soil in Mixcum, Chiapas, Mexico	Felipe San Martín and Pablo Lavín	83
<i>Mycena californiensis</i> resurrected	Brian A. Perry and Dennis E. Desjardin	87
Addendum to annotated check-list with host data and decay characteristics for Colorado wood rotting Basidiomycota	J. Page Lindsey	99
Further new species and new reports in the lichen family Parmeliaceae (Ascomycotina) from South Africa	John A. Elix	103
Aphyllophorales (Basidiomycotina) of arid habitats of the Canary Islands. Preliminary data	E. Beltrán Tejera and J. L. Rodríguez-Armas	111
Phylogenetic studies in Gomphaceae sensu lato (Fungi: Basidiomycetes)	Margarita Villegas, Efraín De Luna, Joaquín Cifuentes, and Arturo Estrada Torres	127
NATS truffle and truffle-like fungi 8: <i>Rhizopogon menzei</i> sp. nov. (Boletaceae, Basidiomycota)	Michael F. Allen, James M. Trappe, and Thomas R. Horton	149
Two new species of <i>Didymium</i> (Physarales, Myxomycetes) from Japan	Jun Matsumoto and Hironori Deguchi	153
A new species of <i>Canoparmelia</i> from North America (lichenized Ascomycotina, Parmeliaceae)	Karin Heiman and John A. Elix	163
Three new species of <i>Russula</i>	Raymond M. Fatto	167
A new species of <i>Ascotricha</i> with uniquely mounded ascospores	Shun-ichi Udagawa and Shigeru Uchiyama	177

[Contents continued inside front cover]

ISSN 0093-4666

MYXNAE 70: 1-516 (1999)

For subscription details, availability in microform, and availability of articles as photocopies or tear sheets, see back cover.

<i>Cryptumbellata</i> , a new hyphomycete genus from soil	Shun-ichi Udawaga and Shigeru Uchiyama	185
Cultural characteristics and taxonomy of some polypores (Aphyllorphales) from Santa Catarina Island, SC, Brazil	Maria Alice Neves and Clarice Loguercio-Leite	193
Contribution à un inventaire mycologique de Madagascar. 2. Nouveaux taxa dans le genre <i>Cantharellus</i>	G. Eyssartier and B. Buyck	203
The nomenclatural propriety of <i>Rhizophlyctis rosea</i>	Will H. Blackwell and Martha J. Powell	213
<i>Bondarcevomyces</i> , a new genus of polypores (Hymenomycetes, Basidiomycota)	Erast Parmasto and Ilmi Parmasto	219
Addition to the lichen flora of Thailand	K. Vongsheawat, P. M. McCarthy, P. Mongkolsuk, and K. Boonpragob	227
Molecular taxonomy of <i>Ceriporia</i>	Seon-Young Kim and Hack Sung Junng	237
<i>Septoria hodgensii</i> sp. nov.: a potential biocontrol agent for <i>Myrica faya</i> in Hawai'i	Donald E. Gardner	247
<i>Microporellus obovatus</i> in India and its cultural characteristics	A. Mitra	255
<i>Alternaria</i> themes and variations (226-235). Classification of citrus pathogens	Emory G. Simmons	263
<i>Alternaria</i> themes and variations (236-243). Host-specific toxin producers	Emory G. Simmons	325
Corticoid Aphyllorphales (Basidiomycota) from the Patagonian Andes forests of Argentina 4. <i>Nothocorticium patagonicum</i> gen. et sp. nov.	Alina Greslebin and Mario Rajchenberg	371
Cultural studies of <i>Agrocybe cylindrica</i> , <i>Gymnopilus pampeanus</i> and <i>Oudemansiella anarii</i> (Agaricales) isolated from urban trees	Silvana M. Sede and Silvia E. López	377
Studies in <i>Chaetosphaeria</i> sensu lato I. The genera <i>Chaetosphaerella</i> and <i>Tengiomyces</i> gen. nov. of the Helmithosphaeriaceae	Martina Réblová	387
Studies in <i>Chaetosphaeria</i> sensu lato II. <i>Coniobrevicolla</i> gen. & sp. nov.	Martina Réblová	421
Two new species of <i>Calicium</i> from Europe	L. Tibell	431
A blue ascospore colour variant of <i>Emericella nidulans</i>	Ursula Peintner and Johannes Rainer	445
Lepiotaceae of Florida. II. <i>Lepiota</i> s. str., section Fuscovinaceae	Brian P. Akers and Walter J. Sundberg	453
Incompatibility between <i>Laetiporus cinctatus</i> and <i>L. sulphureus</i> in culture	Mark T. Banik and Harold H. Bursdall, Jr.	461
<i>Chaenothecopsis tristis</i> , a rare resinicolous species of the Mycocaliciaceae	Alexander N. Titov and Leif Tibell	471
New records of <i>Phyllachora</i> on Poaceae from Argentina	A. C. Gabel, M. L. Gabel, and D. Cabral	477
Fungi on <i>Juncus roemerianus</i> . 13. <i>Hyphopolynema juncatile</i> sp. nov.	Jan Kohlmeyer and Brigitte Volkmann-Kohlmeyer	489
Online resources for fungal taxonomy and nomenclature: Internet monography	Kathie T. Hodge	497
Book Reviews	Eric H. C. McKenzie	499
Author Index		503
Errata		506
Index to Fungous and Lichen Taxa		507
Reviewers		515
Publication Date for Volume 69		516
Journal Publication Statement		516

Author Index, Volume Seventy

- Akers, Brian P., and Walter J. Sundberg. Lepiotaceae of Florida, II. *Lepiota* s. str., section *Fuscovinaceae*, 70: 453-460
- Allen, Michael F., James M. Trappe, and Thomas R. Horton. NATS truffle and truffle-like fungi 8: *Rhizopogon menzei* sp. nov. (Boletaceae, Basidiomycota), 70: 149-152
- Arenal, Francisco, *see* Pelaez & al.
- Banik, Mark T., and Harold H. Bursdall, Jr. Incompatibility between *Laetiporus cincinnatus* and *L. sulphureus* in culture, 70: 461-469
- Bedlan, G. *Septoria birgittae* Bedlan sp. n., a new pathogen causing leaf spots on *Lactuca sativa*, 70: 51-53
- Beltrán Tejera, E., and J. L. Rodríguez-Armas. Aphyllophorales (Basidiomycotina) of arid habitats of the Canary Islands. Preliminary data, 70: 111-125
- Blackwell, Will H., and Martha J. Powell. The nomenclatural propriety of *Rhizophlyctis rosea*, 70: 213-217
- Boonpragob, K. *see* Vongsheawat & al.
- Bursdall, Harold H., Jr. *see* Banik & Bursdall
- Buyck, B., *see* Eysaartier & Buyck
- Cabral, D., *see* Gabel & al.
- Castañeda Ruiz, Rafael F., *see* Pelaez & al.
- Castañeda Ruiz, Rafael, and Teresa Iturriaga. A new species of *Pleurotheciopsis* from a rainforest in Venezuela, 70: 63-67
- Cifuentes, Joaquín, *see* Villegas & al.
- Courtecuisse, R., J. Villa, and X. Limona. *Hohenbuehelia ilderensis*, a new graminicolous species from semisteppe areas of Lleda (western Catalonia, Spain), 70: 1-5
- De Luna, Efrain, *see* Villegas & al.
- Deguchi, Hironori, *see* Matsumoto & Deguchi
- Desjardin, Denis E., *see* Perry & Desjardin
- Elix, John A. Further new species and new reports in the lichen family Parmeliaceae (Ascomycotina) from South Africa, 70: 103-110
- Elix, John A., *see* Heiman & Elix
- Esqueda-Valle, Martín, *see* San Martín & al.
- Estrada Torres, Arturo, *see* Villegas & al.
- Eysaartier, G., and B. Buyck. Contribution à un inventaire mycologique de Madagascar. 2. Nouveaux taxa dans le genre *Cantharellus*, 70: 203-211
- Fatto, Raymond M. Three new species of *Russula*, 70: 167-175
- Gabel, A. C., M. L. Gabel, and D. Cabral. New records of *Phyllachora* on Poaceae from Argentina, 70: 477-488
- Gabel, M. L., *see* Gabel & al.
- Gardner, Donald E. *Septoria hodgensii* sp. nov.: a potential biocontrol agent for *Myrica faya* in Hawai'i, 70: 247-253
- Greslebin, Alina, and Mario Rajchenberg. Corticioid Aphyllophorales (Basidiomycota) from the Patagonian Andes forests of Argentina 4. *Nothocorticium patagonicum* gen. et sp. nov., 70: 371-375
- Heiman, Karin, and John A. Elix. A new species of *Canoparmelia* from North America (lichenized Ascomycotina, Parmeliaceae), 70: 163-166
- Hodge, Kathie T. Online resources for fungal taxonomy and nomenclature: Internet monography, 70: 497-498
- Hermansson, Jan-Olof, *see* Högberg & Hermansson
- Högberg, Nils, and Jan-Olof Hermansson. *Fomitopsis cajanderi* in Europe - evidence from mating experiments, 70: 69-71
- Horton, Thomas R., *see* Allen & al.
- Iturriaga, Teresa, *see* Castañeda Ruiz & Iturriaga
- Junng, Hack Sung, *see* Kim & Junng

- Kim, Seon-Young, and Hack Sung Junng. Molecular taxonomy of *Ceriporia*, **70**: 237-246
- Kohlmeier, Jan, and Brigitte Volkmann-Kohlmeier. Fungi on *Juncus roemerianus* 13. *Hyphopolynema juncatilis* sp. nov., **70**: 489-495
- Lavin, Pablo, *see* San Martín & al.
- Lavin, Pablo, *see* San Martín & Lavin
- Lindsey, J. Page. Addendum to annotated check-list with host data and decay characteristics for Colorado wood rotting Basidiomycota, **70**: 99-102
- Liotta, Massimo, *see* Montemartini Corte & Liotta
- Llimona, X., *see* Courtecuisse & al.
- Loguercio-Leite, Clarice, *see* Neves & Loguercio-Leite
- López, Silvia E., *see* Sede & López
- Matsumoto, Jun, and Hironori Deguchi. Two new species of *Didymium* (Physarales, Myxomycetes) from Japan, **70**: 153-161
- McCarthy, P. M., *see* Vongshewarat & al.
- McKenzie, Eric, H. C. Book reviews, **70**: 499-502
- Mitra, A. *Microporellus obovatus* in India and its cultural characteristics, **70**: 255-262
- Mongkolsuk, P. & al. *see* Vongshewarat
- Montemartini Corte, Aurora, and Massimo Liotta. *Penicillium donkii* in Arctic pond, **70**: 73-75
- Neves, Maria Alice, and Clarice Loguercio-Leite. Cultural characteristics and taxonomy of some polypores (Aphylllophorales) from Santa Catarina Island, SC, Brazil, **70**: 193-202
- Parmasto, Erast, and Ilmi Parmasto. *Bondarcevomyces*, a new genus of polypores (Hymenomycetes, Basidiomycota), **70**: 219-225
- Parmasto, Ilmi, *see* Parmasto & Parmasto
- Peintner, Ursula, and Johannes Rainer. A blue ascospore colour variant of *Emericella nidulans*, **70**: 445-451
- Pelaez, Fernando, Rafael F. Castañeda Ruiz, and Francisco Arenal. *Titaea formosa* anam, sp. nov., a new fungicolous hyphomycete from Spain, **70**: 55-62
- Pérez-Silva, Evangelina, *see* San Martín & al.
- Perry, Brian A., and Dennis E. Desjardin. *Mycena californiensis* resurrected, **70**: 87-97
- Powell, Martha J., *see* Blackwell & Powell
- Rainer, Johannes, *see* Peintner & Rainer
- Rajchenberg, Mario, *see* Greslebin & Rajchenberg
- Rameley, Annette W. Three species of *Microthyrium* from *Nolina*, **70**: 7-16
- Réblová, Martina. Studies in *Chaetosphaeria* sensu lato I. The genera *Chaetosphaerella* and *Tengiomycetes* gen. nov. of the Helminthosphaeriaceae, **70**: 377-386
- Réblová, Martina. Studies in *Chaetosphaeria* sensu lato II. *Coniobrevicolla* gen. & sp. nov., **70**: 421-429
- Rodríguez-Armas, J. L. *see* Beltrán Tejera & Rodríguez-Armas
- San Martín, Felipe, and Pablo Lavin. *Xylaria perezsilvae* sp. nov. from soil in Mixcum, Chiapas, Mexico, **70**: 83-85
- San Martín, Felipe, Pablo Lavin, Martín Esqueda-Valle, and Evangelina Pérez-Silva. Additions to the known Xylariaceae (Hymenoscymycetes, Xylariales) of Sonora, Mexico, **70**: 77-82
- Sede, Silvana M., and Silvia E. López. Cultural studies of *Agrocybe cylindrica*, *Gymnopilus pampeanus* and *Oudemansiella canarii* (Agaricales) isolated from urban trees, **70**: 377-386
- Simmons, Emory G. *Alternaria* themes and variations (226-235). Classification of citrus pathogens, **70**: 263-323
- Simmons, Emory G. *Alternaria* themes and variations (236-243). Host-specific toxin producers, **70**: 325-369
- Sundberg, Walter J., *see* Akers & Sundberg
- Tibell, L. Two new species of *Calicium* from Europe, **70**: 431-443
- Tibell, Leif, *see* Titov & Tibell

- Titov, Alexander N., and Leif Tibell.** *Chaenothecopsis tristis*, a rare resinicolous species of the Mycocaliciaceae, **70**: 471-476
- Trappe, James M.,** *see* Allen & al.
- Uchiyama, Shigeru,** *see* Udawaga & Uchiyama
- Udawaga, Shun-ichi, and Shigeru Uchiyama.** A new species of *Ascotricha* with uniquely mounded ascospores, **70**: 177-184
- Udawaga, Shun-ichi, and Shigeru Uchiyama.** *Cryptumbellata*, a new hyphomycete genus from soil, **70**: 185-192
- Ványk, Kálmán.** New smut fungi from South Africa, **70**: 17-34
- Ványk, Kálmán.** The new classificatory system for smut fungi, and two new genera, **70**: 35-49
- Villa, J.,** *see* Courtecuisse & al.
- Villegas, Margarita, Efraín De Luna, Joaquín Cifuentes, and Arturo Estrada Torres.** Phylogenetic studies in Gomphaceae sensu lato (Fungi: Basidiomycetes), **70**: 127-147
- Volkman-Kohlmeier, Brigitte** *see* Kohlmeier & Volkman-Kohlmeier
- Vongshewarat, K., P. M. McCarthy, P. Mongkolsuk, and K. Boonpragob.** Addition to the lichen flora of Thailand, **70**: 227-236

ERRATA

VOLUME SIXTY-NINE

Page 13, line 16	for <i>Dicheirina</i>	read <i>Dicheirinia</i>
Page 16, line 26	for <i>Aecidium</i>	read <i>Aecidium</i>
Page 55, line 5, 6	for <i>Sereciocybe</i>	read <i>Sericeocybe</i>
Page 65, line 1	for <i>tristis</i>	read <i>tristis</i>
Page 95, line 11	for <i>piluliformis</i>	read <i>pilulaeformis</i>
Page 195, line 39	for 1995-1996	read 1996
Page 198, line 9	for 1995-1996	read 1996
Page 202, line 32	for <i>seemly</i>	read <i>seemingly</i>
Page 202, line 34	for <i>fruitbody</i>	read <i>fruitbodies</i>
Page 204, line 12	for <i>Textura</i>	read <i>textura</i>
Page 234, line 34	for (Pearson)	read (A. Pearson)
Page 253, line 7	for I	read We
Page 274, line 24	for <i>P. praetextata</i>	read <i>P. praetextata</i>
Page 351, line 4	for <i>Para-physes</i>	read <i>Paraphyses</i>
Page 407, line 34	for <i>requenii</i>	read <i>requenii</i>
Page 413, line 15	for <i>L. longocystidiosum</i>	read <i>T. longicystidiosum</i>
Page 413, line 23	for (Bull. Ex Fr.)	read (Bull. : Fr.)
Page 417, line 5	for <i>wether</i>	read <i>whether</i>
Page 417, line 22	for <i>pf</i>	read <i>of</i>
Page 440, line 18	for <i>constricta</i>	read <i>constricta</i>
Page 475, line 36	for <i>cylindraceo-ellipsoid</i>	read <i>cylidraceo-ellipsoid</i>
Page 509, line 16	for <i>epicallopima</i>	read <i>epicallopisma</i>

VOLUME SEVENTY

Page 15, line 30	for ACKNOWLEDGEMENTS	read ACKNOWLEDGEMENTS
Page 53, line 25	for <i>CHERF</i>	read <i>SHERF</i>
Page 69, line 26	for <i>decays</i>	read <i>decays</i>
Page 73, line 5 & 13	for <i>MULC</i>	read <i>MUCL</i>
Page 121, line 31	for <i>P. tubercula</i>	read <i>P. tuberculata</i>
Page 123, line 42	for <i>tamarici</i>	read <i>tamaricis</i>
Page 130, line 9	for <i>Gloeocantharellus</i>	read <i>Gloeocantharellus</i>
Page 132, line 17	for <i>Terrenodon</i>	read <i>Terenodon</i>
Page 135, line 15	for <i>kunsei</i>	read <i>kunzei</i>
Page 141, line 11	for <i>dates</i>	read <i>data</i>
	for <i>suggest</i>	read <i>suggests</i>
Page 388-419	for Réblová & al. (1998)	read Réblová & al. (1999)
	for Réblová (1998b)	read Réblová (1999)

INDEX TO FUNGOUS AND LICHEN TAXA, VOLUME SEVENTY

This index includes names of genera, infrageneric taxa, species, and infraspecific taxa, as well as new names of suprageneric taxa. All new names are in CAPITALS. The page number on which a new name is proposed is followed by an asterisk (*).

- Acanthonitschkia
 tristis 406-407
- Acanthophysium
 cerussatum 100
 minor 111, 114-116
- Agaricus
 californiensis 87-89, 91, 93
- Agrocybe
 cylindrica 377-380
 vervacti 5
- Aleurodiscus
 cerussatum
 var. minor 115
 cerussatus 115
- Alternaria 263-269, 271-272, 281-282,
 298, 310, 315-317, 325-332, 334,
 338-339, 341, 343-344, 346, 348-
 350, 352-354, 360-361, 364-365
 alternata 263-266, 268-270, 272, 281,
 298, 314, 316, 325-338, 341, 344,
 346, 350, 352, 354, 356-357, 360-
 362, 364-365
 f. sp. fragariae 332
 f. sp. lycopersici 333, 356-357
- ARBORESCENS 325, 333, 356*-359,
 363
- brassicaceae 364
- citri 263-270, 272, 298, 315-316, 333,
 344, 348, 364
- CITRIARBUSTI 263, 282, 287*-290
- CITRIMACULARIS 263, 272, 276,
 277*-281
- COLOMBIANA 263, 282, 298*, 300-
 302
- DUMOSA 263, 282, 310*, 312-314
- fragaria 332
- fragariae 332
- gaisen 316, 325, 327, 331, 333, 335,
 341-343, 362
- hesperidiorum 314
- incomplexa 306
- INTERRUPTA 263, 282, 306*, 308-
 310
- kikuchiana 327, 331, 333, 341
- limicola 264-265
- LIMONIASPERAE 263, 272*, 274-
 277, 280-281, 315-316, 325, 332-
 333, 343-345, 363-364
- longipes 325, 333, 349-352, 362, 364
- mali 325, 333, 353-355, 363
- PERANGUSTA 263, 276, 282, 303*-
 306
- pseudorostrata 302
- sp. 1 314
- TANGELONIS 263, 282*, 284-286
- tenuis 265, 329-330, 334, 357
- tenuissima 269, 325, 332-333, 339-340,
 362
- TOXICOGENICA 263, 282, 294*, 296-
 298, 316, 325, 332-333, 346-347,
 349, 362
- TURKISAFRIA 263, 282, 290*, 292-
 294
- Amphinema
 byssoides 115
- Amylocorticium
 cumminsii 100
- Anthracoidea 32, 37
- Antrodia
 radiculosa 101
- Antrodiella
 citrinella 195
 multipileata 193-196
 semisupina 195
- Apiosordaria 388
- Armillaria
 mellea 468
 ostoyae 100
- Ascocodinaea 388, 390, 416, 421-422,
 428-429
- polyporicola 428
- stereicola 428
- Ascotricha 177, 182
- chartarum 182
- CRUCISPORA 177, 178*-179, 181-182
- distans 177
- erinacea 182
- novae-caledoniae 177
- Aspergillus 328, 445
- nidulans 445
- Asteridiella
 iquitosensis 417
- Asterostroma
 cervicolor 122
- Athelia
 fibulata 100
- Aurantiosporium 18, 38, 43, 46
- MARIŠCI 17*, 19, 22
- Auricularia
 auricula 239-240, 242
 auricula-judae 240
- Auriscalpium 244
- BAUERAGO 35, 38, 44*
- ABSTRUSA 35, 44*-45, 47-48
- CAPENSIS 35, 44*, 48

- [Bauerago] CYPERI-LUCIDI 35, 44*, 48
 GARDNERI 35, 44, 46*, 48
 VUYCKII 35, 46*, 48
 Bauhinus
 thlaspeos 39
 Beenakia 127-130, 132, 136, 139-141
 fricta 135, 137, 142-144
 Bertia
 moriformis 414
 Bjerkandera 237, 243
 adusta 240, 242-243
 Boletellus 141
 Boletus 141
 Bombardia 388, 390
 macrocarpa 426
 BONDARCEVOMYCES 219*, 222
 TAXI 219-222*, 224
 Bondarzewia 244
 Botryobasidium
 ansosum 100
 candicans 117
 Botryocoris 38
 Brachybasidium 38
 Burrillia 37
 Byssomerulius
 corium 115, 123
 Byssosphaeria 391
 Calicium 431, 440
 abietinum 440, 442
 adaequatum 442
 adpersum 431, 441-442
 chlorosporum 441
 corynellum 431, 442
 denigratum 442
 diploellum 431, 442
 glauzellum 432, 440-441
 hyperelloides 441
 lenticulare 442
 MONTANUM 431, 432*-434, 442
 parvum 431, 440-441
 PINASTRI 431, 436*, 438-439, 442
 quercinum 436, 441
 salicinum 441
 trabinellum 441
 triste 471-472
 viride 441
 Canomaculina
 subcaperata 103, 108
 Canoparmelia 163
 AMABILIS 163*-165
 caroliniana 163-165
 RODRIGUESIANA 103, 108*
 TERRAPAPIA 103*-104, 106
 zimbabwensis 103-104
 Cantharellus 128-129, 131-133, 139, 203
 avellaneus 203
 carneoflavus 207
 cibarius 133, 135, 142-144, 208
 cyanoxanthus 203
 DECOLORANS 203-204*, 207
 diminutivus 207
 madagascariensis 203
 omphalinoides 207
 platyphyllus 210
 ssp. BOJERIENSIS 203, 208*
 roseus 207
 ruber 207
 schmitzii 207
 splendens 210
 symoensii 210
 Ceraceomyces
 tessulatus 115
 Cercophora 388, 390
 Ceriporia 237-239, 242-245
 excelsa 237-238, 240, 242, 244-245
 metamorphosa 237
 purpurea 122, 238-240, 242, 244-245
 reticulata 238, 240, 242, 244-245
 viridans 237-240, 242-244
 Ceriporiopsis 237-239, 243-245
 resinascens 242
 var. pseudogilvescens 240, 242
 rivulosa 240, 242
 Chaenothecopsis 472
 pusilla 471-472, 474-475
 TRISTIS 471-472*, 474-475
 Chaetosphaerella 387-388, 390-394, 406-407, 412, 414, 416, 421
 fusca 387, 393-396, 398, 400-401, 407, 412, 417
 fusispora 387, 393
 indica 387, 393, 408, 412
 phaeostroma 387, 393-395, 398, 400, 403, 405-407, 416
 Chaetosphaeria 387-388, 390-392, 406, 421, 429
 bihyalina 387, 393, 395, 400
 fusca 391, 395, 398
 incrusters 387, 393, 395, 400
 innumera 408
 iquitosensis 387, 393, 416-417
 phaeostroma 391, 402, 406
 var. phaeostromoides 395
 phaeostromoides 387, 393, 395
 subcaespitosa 421-422, 426, 428
 tristis 402, 406
 Chalara 390
 Chrysosporium 185-191
 carmichaelii 191
 Chytridium 213
 roseum 213-215
 Cintactia 32, 36
 abstrusa 44
 vuyckii 46
 Cirrenalia
 adarca 489
 Cladosporium 328
 Clavariadelphus 128-129, 131-133, 136, 139, 141
 pistillaris 135, 142-144
 truncatus 133, 135, 142-144
 Clavulicium 375
 Clavulina 129, 132, 135-136, 142-144
 Clinoconidium 38
 Clintamra 36

- Codinaea 428-429
 Collybia
 acervata 100
 velutipes 384
 Conidiosporomyces 37
 CONIOBREVICOLLA 421-422*, 428
 LARSENII 421-422, 424*-428
 Coniochaeta 183, 416
 cruciata 183
 extramundana 183
 Coniodictyum 38
 Coniophora
 arida
 var. arida 100
 Coniophorella
 olivacea 100
 Conotrema 227
 lumbricoides 227
 Coprinus
 atramentarius 100
 spiliosporus 5
 vosoustii 5
 Corticium 371, 374
 quercicola 371, 374
 Crassochaeta 414, 416, 421-422, 428
 fusispora 428
 nigrita 416, 428
 Cristinia
 helvetica 100
 CRYPTUMBELLATA 185-186*, 191
 TERRICOLA 185-188*, 189-191

 Dacrymyces
 chrysospermus 101
 Daldinia 77
 eschschoizii 77-78
 Dasyscyphus 55
 fuscescens 55-57
 Delentaria 130, 132
 Dendrocorticium 371, 374
 Dendrothele 375
 Dermatosorus 36
 Diatype
 stigma 404
 Dicellomyces 38
 Dictyochaeta 390, 416, 428-429
 fuegiana 428
 Dicyma 177-178, 182
 Didymium 153-154
 ANGULARISPORUM 153, 157*-158,
 160
 floccosum 154, 156-157
 intermedium 154, 156-157
 LACCATIPES 153-154*, 156-157, 160
 melanospermum 153
 var. melanospermum 158
 minus 153, 158
 squamosum 153, 156
 Diplophlyctis 214
 Doassansia 38
 Doassansiopsis 36
 Doassinga 38, 41
 Drepanoconis 38

 Dwayaangam
 junci 489

 Embellisia 332
 Emericella 449-450
 Sect. *Nidulantes* 445, 449
 acristata 449
 dentata 449
 echinulata 449
 nidulans 445, 447-450
 var. lata 449
 parvathecia 449-450
 similis 449-450
 spectabilis 449-450
 violacea 449-450
 Endophragmiella 390
 Entoloma
 rusticoides 5
 Entorrhiza 36
 Entyloma 37
 Eosphaeria 388, 390
 Epithele
 canariensis 124
 Erratomyces 37
 Eutypa
 flavovirens 404
 Exidia
 glandulosa 102
 Exobasidiellum 38
 Exobasidium 38
 Exoteliospora 36

 Farysia 36
 Flabellophora 238
 Flammulina
 velutipes 384
 Flavoparmelia
 rutidota 104-105
 SALAZINICA 103, 104*-106
 Fomes
 fomentarius 224
 Fomitella 197
 supina 193-194, 196-197
 Fomitopsis 197
 cajanderi 69-71
 feii 69
 rosea 69-71
 Franzpetrakia 36
 Fulvisporium 38, 43, 46
 Fusarium 328

 Gaeumannomyces
 medullaris 489
 Ganoderma
 applanatum 101, 224
 lucidum 122
 Geminago 36
 Georgerfischeria 37
 Globulicium
 hiemale 115, 123
 Gloeocantharellus 127-132, 136-137, 139-
 140, 142
 purpurascens 133, 135, 137, 143-144

- Glomosporium 36, 41
 Gomphus 127-130, 132, 136-137, 139-140
 clavatus 133, 135, 142-144
 floccosus 133, 135, 137, 142-144
 Graphiola 38
 Gymnoascus 191
 Gymnopilus 132, 382
 pampeanus 377-379, 381
 spectabilis 378
 subpurpuratus 129, 135, 142-144
 Halosphaeria
 mediosetigera 15
 Hapalopilus 220
 croceus 220
 olivascens 220
 taxi 219-220, 222
 Helminthosphaeria 389, 392, 412, 414
 Helminthosporium 400
 maydis 412
 Hemileia 56
 vastatrix 56
 Henningsia 238
 Heterobasidion 238
 annosum 239-240, 242, 244
 Heterodoassansia 38
 Heterotolyposporium 37
 Hohenbuehelia 1
 chevallieri 5
 culmicola 1, 5
 ILERDENSIS 1, 2*-4
 longipes 1, 5
 Hydnopolyporus 238
 Hyphoderma
 medioburiense 100, 117
 praetermissum 117, 123
 sambuci 123
 setigerum 117
 subclavigerum 100
 Hyphodontia
 arguta 100
 sambuci 117
 Hypholoma
 fasciculare 100
 Hyphopolynema 489, 493
 australe 493
 ellisorum 493
 JUNCATILE 489*, 490, 493-493
 stilboideum 493
 tropicale 493
 Hypochnicium
 bombycinum 101
 Hypotrachyna
 imbricatula 105, 107
 koyaensis 107
 LEEUKOPENSIS 103, 105*-107
 subpustulifera 103, 108
 Hypsizygus
 tessellatus 100
 Ingoldiomyces 37
 Inonotus 243-244
 tamaricis 122-123
 Iodosphaeria 390
 Jamesdicksonia 37
 Juncigena
 adarca 489
 Karlingia 213-215
 rosea 213-215
 Karlingiomyces 213-215
 Karoowia
 LYRIGERA 103, 108*
 Kavinia 127-130, 132, 136, 139-141
 alboviridis 135, 137, 142-144
 Kordyana 38
 Kuntzeomyces 37
 Lachnella
 alboviolascens 5
 Laeticorticium
 quercinum 374
 Laetiporus 461-464, 466-468
 cinnatus 461-462, 464, 468-469
 sulphureus 101, 461-462, 464, 468-469
 Lasioberbia 414
 Lasiosphaeria 388, 390, 392, 414, 421
 chrysentera 426
 hirsuta 414
 tuberculata 414
 ovina 414, 426
 Lasiosphaeriella 414
 Lasiosphaeriopsis 414
 stereocaulicola 414
 Laurera 227
 keralensis 227
 megasperma 228
 meristospora 230
 MERISTOSPOROIDES 227, 228*-230
 phaeomelodes 230
 subdiscreta 230-231
 Lentaria 127-130, 132, 136-137, 139-141
 byssida 128
 surculus 128, 135, 137, 142-144
 Lentinellus 244
 ursinus 100
 Lepiota 453, 459
 Sect. Anomala 454, 459
 Sect. Fuscovineae 453-454
 Sect. Ovisporae 454, 459
 anomala 453-455, 457-458
 fuscovineae 453-456, 459
 pallida 454
 Leptosporomyces
 galzinii 101
 Leucoagaricus 459
 Leucophellinus 238
 Linderomyces 129-130
 Liroa 38
 Loweporus 222
 Macalpinomyces 37
 Macrohyporia 238
 Macrolepiota 459

- Macrosporium
 longipes 349
 Malbranchea 191
 Marasmius
 corbariensis 5
 quercophilus 5
 Megacollybia
 platyphylla 100
 Megasporoporia
 cavernulosa 193-194, 197-198
 hexagonoides 197-198
 Melaniella 38
 Melanochaeta 388, 390-392
 Melanoleuca
 leucophylloides 5
 Melanopsammella 388
 Melanopsychium 37
 Melanotaenium 36-37, 39
 ari 36
 gunnerae 39
 Meliola 15
 iquitosensis 417
 Meripilus 238, 244
 giganteus 239-240, 242, 244
 Meruliopsis
 hirtellus 101
 Merulius
 tremellosus 238
 Microbotryum 36, 38-39, 43
 Microporellus 260-261
 dealbatus 260-261
 obovatus 255, 257, 259-261
 Microstroma 37
 Microthyrium 7-8, 14-15
 ARIZONIENSIS 7, 9*, 11, 14
 ciliatum 15
 cytisi 7
 gramineum 15
 GUADALUPENSIS 7, 12*, 14-15
 macrosporum 7, 15
 michelianum 14
 microscopicum 7
 mitchellae 14-15
 moravicum 7
 NOLINAE 7-8*, 10, 14-15
 pinophyllum 7, 15
 platani 7
 pulchellum 7, 15
 quercus 7
 rubicola 14
 xylogenum 7
 Miyoshiella 392
 Moesziomyces 37
 Montagnea
 arenaria 5
 Moreaua 37
 Mundkurella 36
 Muribasidiopora 38
 Mycena 95
 atkinsoniana 95-96
 californiensis 87-91, 93-96
 crocata 96
 elegantula 87-89, 92-94
 haematopus 95
 purpureofusca 93-94
 renati 93-94
 rubromarginata 94
 sanguinolenta 87, 93-96
 Mycosyrinx 36
 Nannfeldtiomyces 38
 Narasimhaniania 38
 Neofuscelia
 NAUTILOMONTANA 103, 108*
 Neolentinus
 lepideus 100
 ponderosus 100
 Neovossia 37
 Nephrochytium 214
 Nitschkia 406
 grevillei 406
 tristis 406
 NOTHOCORTICIUM 371-372*, 374
 PATAGONICUM 371, 372*-374
 Oberwinkleria 37
 Oedemium 387, 394-395, 414, 416
 didymum 395-396, 398, 400, 412
 minus 394-395, 402, 405, 407
 Oidium
 candicans 111, 114, 117
 Omphalina
 obscurata 5
 Omphalotus
 olearius 5
 Oncocladium 191
 flavum 185, 191
 Orbilia
 junci 489
 Orphanomyces 37
 Oudemansiella
 brunneomarginata 384
 canarii 377, 379, 382-384
 mucida 382, 384
 Oxyporus 237-238, 240, 242-245
 corticola 101
 latemarginata 239-240, 242-244
 Paraparmelia
 aranaea 107
 MARITIMA 103, 106-107*
 PERFISSA 103, 108*
 rugulosa 104
 Parmastomyces 220
 taxi 222
 Parmotrema
 blanchetianum 103, 109
 Paxillus
 atrotomentosus 100
 Peltigera
 rufescens 414
 Penicillium 328
 donkii 73
 thornii 73
 Peniophora
 boidinii 117, 123

- [Peniophora] cinerea 101, 117, 123
 incarnata 119, 123
 lycii 119, 123
 meridionalis 119, 123
 nuda 111, 114, 118-119, 123
 pithya 101
 tamaricicola 124
- Perenniporia
 martius 198-199
 medulla-panis 123, 198-199
 stipitata 193-194, 198-199
- Pericladium 37
- Phaeocalicium
 populneum 472
- Phaeolus 220, 222
 scweinitzii 220-221
- Phaeotrametes 222
- Phaeotrichosphaeria 390
- Phanerochaete 237, 243
 andreae 119, 123
 aurata 121
 chrysosporium 240, 242-243
 martelliana 121, 123
 sordida 121, 123
 tuberculata 121, 123
 xerophila 111, 114, 120-121, 123
- Phellinus 243-244
 apiahynus 193-195
 ferruginosus 101
 robustus 194
 torulosus 122
- Phialocephala 407
- Phialophora 390, 392
- Phlebia 237, 243
 radiata 237-240, 242-243
- Phlebiella
 sulphurea 101
- Phlebiopsis
 ravenelii 121, 123
- Pholiota
 adiposa 100
- Phyllachora 477-480, 486-487
 acuminata 480
 acutispora 479-480
 antarctica 479-480
 chusqueae 477, 481, 486
 cynodontis 479-481, 486
 danthoniae 486
 eragrostidis 479-480, 482
 eriochloae 479
 fuscescens 479
 koondrookensis 479
 luteo-maculata 477, 482, 486
 minutissima 479-480, 483
 oblongospora 479
 oxyspora 477, 483, 486
 punctum 477, 483-484, 486
 sacchari 479-480
 setariicola 479
 sp. 1 486
 sp. 2 486
 sp. 3 486
 spartinae 477, 484, 486
- sphaerosperma 480
 sylvatica 477, 485-486
 urvilliana 479-480
 vulgata 477, 485-486
- Physisporinus 238
- Planetella 37
- Pleurotheciopsis 63, 66
 bramleyi 66
 pusilla 66
 setiformis 66
 SYLVESTRIS 63*, 65-66
- Pleurotus 382
- Polymeridium 227
 catapastum 231
 quinqueseptatum 231
- Polyporus
 cincinnatus 462
- Poria
 Sect. Chroopora 237
- Porina 227
 belanospora 233
 bellendenica 233
 dolichophora 233
 ERAWANENSIS 227, 231*-233
 exserta 233
 internigrans 233
- Porosphaerella 388
- Porosphaerellopsis 388
- Proliferobasidium 38
- Psathyrella
 candolleana 100
- Psathyrodon 128-130
- Pseudodermatosorus 39
- Pseudodoassansia 38
- Pseudogomphus 130, 132
- Pseudopiptoporus 222
 devians 222
- Pseudotrichia 391
- Pulcherricium 237, 243
 caeruleum 240, 242-243
- Pyrenula 227
 anomala 234
 macularis 234
 parvinuclea 234
 subferruginea 235
- Ramaria 127-130, 132, 136, 139-141
 Subg. Echinoramaria 129, 140
 Subg. Laeticolora 129, 140
 Subg. Lentoramaria 129, 140
 Subg. Ramaria 129, 140
 abietina 135, 142-144
 botrytis 135, 140, 142-144
 fennica 135, 142-144
 gracilis 135, 142-144
 grandis 135, 142-144
 rubripermanens 135, 140, 142-144
 stricta 128, 135, 142-144
- Ramaricium 127-130, 132, 135-136, 139-144
- Ramariopsis 128-129, 131-133, 139
 corniculata 135, 142-144
 kunzei 135, 142-144

- Ramicola
 iberica 5
 Relicina
 planiuscula 103, 109
 Rhamphoria 389
 Rhamphospora 38
 Rhizidium 213-214
 mycophilum 213
 Rhizophlyctis 213-215
 braunii 213
 harderi 215
 mastigotrichis 213-215
 mycophila 213
 rosea 213-215
 vorax 213
 Rhizopogon 149, 152
 Sect. Amylopogon 152
 Sect. Villosuli 152
 Subsect. Rhizopogon 152
 guzmanii 152
 MENGEI 149, 150*-152
 quercicola 152
 ventricisporus 149, 152
 Rhombiella
 cardamines 41
 Rigidoporus 238-239, 243
 lineatus 199-200
 microporus 193-194, 199
 vinctus 199-200
 Russula 167
 Sect. Compactae 172
 Sect. Plorantes 172
 Sect. Russula 170, 175
 Subsect. Amethystinae 170
 Subsect. Emeticinae 175
 Subsect. Lactarioideae 172
 Subsect. Russula 175
 AVELLANEICEPS 167, 168*-170
 GLUTINOSA 167, 170*-172
 PRIMAVERNA 167, 173*-175
 Schizonella 37
 Schizophyllum
 commune 123
 Schizopora
 radula 123
 Selenosporella 390
 Septoria 51-52, 247-251
 BIRGITAE 51-53*
 fernandezii 52
 HODGESII 247, 248*-252
 lactucae 51-52
 lacticicola 52
 lactucina 52
 ludoviciana 52
 mulgedii 52
 myricae 247-252
 myricata 247-252
 schembelii 52
 sikangensis 52
 sleurneri 52
 unicolor 52
 Sororsporium 36
 inconspicuum 20, 23
 saponariae 41
 Spadicoides 387, 393, 408, 410, 412-413, 416
 obovata 416
 Sparassis
 crispa 101
 Sphacelotheca 38
 cinnamomi 38
 inconspicua 20, 23
 Sphaeria
 bihyalina 395, 400
 phaeostroma 400
 phaeostromoides 395
 tristis 402, 404, 406-407
 Spinulosphaeria 414
 Sporisorium 20, 24, 37
 POLE-EVANSII 17, 23*, 25-26, 29
 Stemphylium
 botryosum 412
 Stereum 244
 Striatosphaeria 388, 390, 429
 Styliina 38
 TENGIOMYCES 387, 393, 407*, 412, 414, 416
 INDICUS 387, 393, 408*, 410, 412-416
 Terenodon 130, 132
 serenus 132
 Testicularia 37
 Thaxteria 391
 fusca 395
 phaeostroma 402
 Thecaphora 36, 41
 saponariae 41
 Tilletia 37
 thlaspeos 35, 39
 Tilletiaria 37
 Titaea 55-56, 59, 62
 callispora 59, 62
 clarkeae 59, 62
 complexa 59, 62
 doidgeae 59, 62
 FORMOSA 55-56*, 58-59, 61-62
 hemileiae 56, 59, 61-62
 volucrista 59, 62
 Tomentella
 chlorina 101
 viridula 101
 Tolyposporella 37
 Tolyposporium 32, 37
 EPISCHOENI 17, 20*-22
 TOTHIELLA 35-36, 39*, 43
 THLASPEOS 35, 39*, 41, 43
 Tracya 38
 Trametes
 pavonia 193-194, 200
 villosa 200
 Tranzscheliella 37
 Trechispora
 farinacea 122
 Trichaptum 243-244

- [Trichaptum] abietinum 101
 Trichocincta 37
 Trichocladium
 medullare 489
 Trichoderma 328
 Tricholomopsis
 rutilans 100
 Trypethelium 227
 nigroporum 235
 Tubulicrinus
 gracillimus 122
 medius 101
 subulatus 101
 Tulostoma
 brumale 5
 kotlabae 5
 nanum 5
 xerophilum 5
 Tyromyces 220
 taxi 222

 Uleiella 37
 Ulocladium
 atrum 412
 Urocystis 36
 Ustacystis 36
 USTANCIOSPORIUM 17, 31*-32
 RHYNCHOSPORAE 17, 30, 31*-32
 Ustilago 24, 32, 37, 39, 43, 46
 abstrusa 35, 44
 arabidis-alpinae 39
 capensis 35, 44
 cardamines 39
 cyperi-lucidi 35, 44
 DRAKENSBERGIANA 17, 24*, 27-29
 gardneri 35, 46
 gunnerae 39
 inconspicua 20, 23
 montagnei 29, 32
 var. minor 32

 onumae 38
 seminum 39, 41
 senecionis 39
 speculariae 39
 subnitens 18
 thlaspeos 39, 41, 48
 vuyckii 35, 46
 Ustilentyloma 38

 Veramyces 395
 Veramycina 387, 395, 414, 416
 elegans 394, 398, 402, 405, 407
 Vuillieminia 371, 374

 Websdanea 37

 Xanthoparmelia 104
 cravenii 103, 109
 Xeromphalina 382, 384
 brunneola 384
 campanella 382
 kauffmanii 382, 384
 Xerula 382, 384
 furfuracea 382, 384
 megalospora 382, 384
 Xylaria 77, 83, 85
 deserticola 77, 80-81
 euphorbiicola 85
 feejeensis 77-78
 mexicana 85
 PEREZSILVAE 83*, 85
 poitei 77-78, 80
 polymorpha 80
 squamulosa 85
 striata 77, 80-81
 var. SONORENSIS 77-78, 80*

 Zalerion 7, 14
 GUADALUPENSIS 7, 13*
 Zundeliomyces 38

